

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## MATERIAL SAFETY DATA SHEET

### DIETHYLENE GLYCOL 98.5%

(For Synthesis)

(Digol)

MSDS CAS: 111-46-6

## Section 1: Chemical Product and Company Identification

### Section 1: Chemical Product

**Product Name:** DIETHYLENE GLYCOL

**CAS#:** 111-46-6

**Synonym:** Carbitol

**Chemical Name:** 2,2'-Oxydiethanol

**Chemical Formula:** C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>

**Brand:** OXFORD

### Details Of The Supplier Of The Safety Data Sheet :

#### Company identification:

**OXFORD LAB FINE CHEM LLP**

Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.

Mumbai, Maharashtra, INDIA.

Tel: 91-250-2390989

Tel/Fax: 91-250-2390032

Tel/Fax: 91-250-2390032

## Section 2: Composition and Information on Ingredients

### Composition:

Name	CAS NO.	% by Weight
Diethylene Glycol	111-46-6	100

**Toxicological Data on Ingredients:** Diethylene Glycol: ORAL (LD50): Acute: 12565 mg/kg [Hamster.].  
DERMAL (LD50): Acute: 11890 mg/kg [Hamster.].

## Section 3: Hazards Identification

### Potential Acute Health Effects:

Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

### Potential Chronic Health Effects:

Hazardous in case of skin contact (irritant, permeator), of ingestion. Slightly hazardous in case of eye contact (irritant). **CARCINOGENIC EFFECTS:** Not available. **MUTAGENIC EFFECTS:** Not available. **TERATOGENIC EFFECTS:** Not available. **DEVELOPMENTAL TOXICITY:** Not available. The substance is toxic to blood, kidneys, the nervous system, liver. Repeated or prolonged exposure to the substance can produce target organs damage.

## Section 4: First Aid Measures

### Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

### Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

### Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 5: Fire and Explosion Data

**Flammability of the Product:** May be combustible at high temperature.

**Auto-Ignition Temperature:** 227.78°C (442°F)

**Flash Points:** CLOSED CUP: 138°C (280.4°F). OPEN CUP: 143°C (289.4°F) (Cleveland).

**Flammable Limits:** LOWER: 2% UPPER: 12.3%

**Products of Combustion:** These products are carbon oxides (CO, CO<sub>2</sub>).

**Fire Hazards in Presence of Various Substances:**

Slightly flammable to flammable in presence of open flames and sparks, of heat.

**Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:**

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

**Special Remarks on Fire Hazards:**

When heated to decomposition, it emits acrid smoke and irritating fumes.

**Special Remarks on Explosion Hazards:** Not Available.

## Section 6: Accidental Release Measures

**Small Spill:**

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

**Large Spill:**

Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 7: Handling and Storage

### Precautions:

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment if ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

### Storage:

Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in a cool, well-ventilated place. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.

## Section 8: Exposure Controls/Personal Protection

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

### Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not Available.

## Section 9: Physical and Chemical Properties

**Physical state and appearance:** Liquid. (Clear viscous liquid.)

<b>Odor</b>	: Odorless.
<b>Taste</b>	: Sweet
<b>Molecular Weight</b>	: 106.12 g/mole
<b>Color</b>	: Colorless.
<b>pH (1% soln/water)</b>	: 7 [Neutral.]
<b>Boiling Point</b>	: 245.8°C (474.4°F)
<b>Melting Point</b>	: -8°C (17.6°F)
<b>Critical Temperature</b>	: Not available.
<b>Specific Gravity</b>	: 1.12 (Water = 1)
<b>Vapor Pressure</b>	: 0.01 mm of Hg (@ 20°C)
<b>Vapor Density</b>	: 3.66 (Air = 1)
<b>Volatility</b>	: Not available.
<b>Odor Threshold</b>	: Not available.
<b>Water/Oil Dist. Coeff.</b>	: Not available.
<b>Ionicity (in Water)</b>	: Not available.
<b>Dispersion Properties</b>	: See solubility in water, methanol, and diethyl ether.
<b>Solubility</b>	: Easily soluble in cold water, hot water, methanol, diethyl ether.

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Not available.

**Incompatibility with various substances:** Slightly reactive to reactive with oxidizing agents.

**Corrosivity:** Not considered to be corrosive for metals and glass.

**Special Remarks on Reactivity:** Hygroscopic; keep container tightly closed.

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** No.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 11: Toxicological Information

### Routes of Entry:

Dermal contact. Eye contact. Inhalation. Ingestion.

### Toxicity to Animals:

Acute oral toxicity (LD50): 12565 mg/kg [Hamster.]. Acute dermal toxicity (LD50): 11890 mg/kg [Hamster.].

### Chronic Effects on Humans:

The substance is toxic to blood, kidneys, the nervous system, liver.

### Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals: Not Available.

Special Remarks on Chronic Effects on Humans: Not Available.

### Special Remarks on other Toxic Effects on Humans:

Experimentally tumorigen by inhalation. Exposure can cause nausea, headache and vomiting.

## Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

### Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not Available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 13: Disposal Considerations

### Waste Disposal:

## Section 14: Transport Information

### Land transport (ADR-RID)

**General information:** Not regulated.

### Sea transport (IMDG) [English only]

**General information:** Not regulated.

### Air transport (ICAO-IATA) [English only]

**General information:** Not regulated.

## Section 15: Other Regulatory Information

### Federal and State Regulations:

**Pennsylvania RTK:** Diethylene glycol TSCA 8(b) inventory: Diethylene glycol

### Other Regulations:

**OSHA:** Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

**WHMIS (Canada):** Not controlled under WHMIS (Canada).

**DSCL (EEC):** R36/38- Irritating to eyes and skin.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 15: Other Regulatory Information (Continued)

### HMIS (U.S.A.):

**Health Hazard: 1**

**Fire Hazard: 1**

**Reactivity: 0**

**Personal Protection: h**

### National Fire Protection Association (U.S.A.):

**Health: 1**

**Flammability: 1**

**Reactivity: 0**

**Specific hazard:**

### Protective Equipment:

Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

## Section 16 - Additional Information

References: Not available.

Other Special Considerations: Not available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## ***Disclaimer:***

\*\*\*\*\*

**The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.**

**Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.**