

MATERIAL SAFETY DATA SHEET

DIMETHYLFORMAMIDE 99.8% AR **(Formdimethylamide)** **MSDS CAS: 68-12-2**

Section 1: Chemical Product and Company Identification

Section 1: Chemical Product

Product Name: DIMETHYLFORMAMIDE AR

CAS#: 68-12-2

Synonym: DMF; Dimethyl Formamide, Formdimethylamide

Chemical Name: Dimethylformamide AR

Chemical Formula: HCON(CH₃)₂

Brand: OXFORD

Details Of The Supplier Of The Safety Data Sheet :

Company identification: OXFORD LAB FINE CHEM LLP
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,
Navghar, Vasai (East). Palghar - 401 210.
Mumbai, Maharashtra, INDIA.
Tel: 91-250-2390989
Tel/Fax: 91-250-2390032

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Dimethylformamide AR	68-12-2	100

Toxicological Data on Ingredients: Dimethylformamide: ORAL (LD50): Acute: 2800 mg/kg [Rat]. 2900 mg/kg [Mouse]. 5000 mg/kg [Rabbit]. DERMAL (LD50): Acute: 4720 mg/kg [Rabbit].

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC. **MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. **TERATOGENIC EFFECTS:** Classified POSSIBLE for human. **DEVELOPMENTAL TOXICITY:** Classified Reproductive system/toxin/female, Reproductive system/toxin/male [POSSIBLE]. The substance is toxic to kidneys, liver, central nervous system (CNS). The substance may be toxic to blood, the nervous system. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek medical attention.

Section 4: First Aid Measures (Continued)

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 445°C (833°F)

Flash Points: CLOSED CUP: 57.778°C (136°F). (Tagliabue.) OPEN CUP: 67°C (152.6°F).

Flammable Limits: LOWER: 2.2% UPPER: 15.2%

Products of Combustion: These products are carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂...).

Fire Hazards in Presence of Various Substances:

Flammable in presence of open flames and sparks, of heat. Non-flammable in presence of shocks.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

Flammable liquid, soluble or dispersed in water. **SMALL FIRE:** Use DRY chemical powder.

LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, auto ignition or explosion.

Special Remarks on Fire Hazards: Not Available.

Special Remarks on Explosion Hazards:

A mixture of triethylaluminum and DMF explodes when heated. DMF + potassium permanganate may explode.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill:

Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep locked up.. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, acids.

Storage:

Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Section 8: Exposure Controls/Personal Protection (Continued)

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 10 (ppm) from ACGIH (TLV) [United States] TWA: 30 (mg/m³) from ACGIH (TLV) [United States]
Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor : Amine like. (Slight.)

Taste : Not available.

Molecular Weight : 73.09 g/mole

Color : Colorless to light yellow.

pH (1% soln/water) : Not applicable.

Boiling Point : 153°C (307.4°F)

Melting Point : -61°C (-77.8°F)

Critical Temperature : 374°C (705.2°F)

Specific Gravity : 0.949 (Water = 1)

Vapor Pressure : 0.3 kPa (@ 20°C)

Vapor Density : 2.51 (Air = 1)

Volatility : Not available.

Odor Threshold : 100 ppm

Water/Oil Dist. Coeff. : The product is more soluble in water; log (oil/water) = -1

Ionicity (in Water) : Not available.

Dispersion Properties : See solubility in water, diethyl ether, and acetone.

Solubility : Easily soluble in cold water, hot water. Soluble in diethyl ether, acetone.

Miscible organic solvents. Soluble in benzene, and chloroform.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Heat, ignition sources (sparks, flames), incompatible materials.

Incompatibility with various substances: Reactive with oxidizing agents, acids.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity:

Can react vigorously with oxidizing agents, halogenated hydrocarbons, and inorganic nitrates. Incompatible with carbon tetrachloride, alkyl aluminums, sodium tetrahydroborate, nitrates, chromic acid, diisocyanatomethane, triethylaluminum, sodium hydride, lithium azide, metallic sodium, bromine, magnesium nitrate, potassium permanganate, nitric acid, chromium trioxide, borohydrides, phosphorus trioxide, diborane, octafluoroisobutyrate, sodium nitrite, perchloryl fluoride, potassium methyl 4,4'-dinitrobutyrate. Reaction with inorganic acid chlorides, such as phosphorous oxychloride and thionyl chloride, may form dimethylcarbamoyl, a suspect carcinogen. May release dimethylamine and carbon monoxide if heated above 350 C (662 F).

Special Remarks on Corrosivity:

Pure dimethylformamide is essentially non-corrosive to metals. However copper, tin and their alloys should be avoided.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry:

Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 2800 mg/kg [Rat]. Acute dermal toxicity (LD50): 4720 mg/kg [Rabbit]. Acute toxicity of the vapor (LC50): 9400 1 hours [Mouse].

Section 11: Toxicological Information (Continued)

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC. **MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. **TERATOGENIC EFFECTS:** Classified **POSSIBLE** for human. **DEVELOPMENTAL TOXICITY:** Classified Reproductive system/toxin/female, Reproductive system/toxin/male [POSSIBLE]. Causes damage to the following organs: kidneys, liver, central nervous system (CNS). May cause damage to the following organs: blood, the nervous system.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals:

Lowest Published Lethal Dose: LCL[Rat] - Route: Inhalation; Dose: 5000 ppm/6H

Special Remarks on Chronic Effects on Humans:

May affect genetic material. May cause adverse reproductive effects (paternal and maternal) and birth defects. Embryotoxic and/or foetotoxic in animal. Passes through the placental barrier in animal. May cause cancer although IARC evidence for cancer in humans shows inadequate data.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: Causes skin irritation with itching, burning, redness, swelling, or rash. It may be absorbed through the skin in toxic amounts and cause systemic effects similar to that of ingestion. It may facilitate the absorption of other chemical substances through the skin. If there is significant potential for skin contact, monitoring should be done to measure the level of DMF metabolites in urine specimens at the end of the shift. It is common practice to limit end-of-shift metabolites at or below 40 ppm expressed as n-monomethylformamide or a single individual or at or below 20 ppm MMF for several workers doing the same job. **Eyes:** Causes eye irritation (possibly severe) with tearing pain or blurred vision. **Inhalation:** May cause respiratory tract irritation. Short-term overexposure by inhalation may affect behavior/central nervous system (convulsions, muscle weakness and other symptoms similar to that of acute ingestion), respiration (dyspnea). **Ingestion:** It can cause gastrointestinal tract irritation with heartburn, abdominal pain, nausea, vomiting or diarrhea. It may also affect the cardiovascular system (hypertension, tachycardia, ECG abnormalities), blood (elevated white blood cell counts), and liver damage (hepatomegaly, jaundice, altered liver enzymes, fatty liver).

Section 12: Ecological Information

Ecotoxicity: Not available.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Section 12: Ecological Information (Continued)

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation:

The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

Land transport (ADR-RID)

Proper shipping name: N,N-DIMETHYLFORMAMIDE

UN N°: 2265

H.I. nr: 30

ADR - Class: 3

Labelling - Transport: 3 : Flammable liquid.

ADR - Group: III

Sea transport (IMDG) [English only]

Proper shipping name: N,N-DIMETHYLFORMAMIDE

UN N°: 2265

IMO-IMDG - Class or division: 3 : Flammable liquid.

IMO-IMDG - Packing group: III

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Section 14: Transport Information (Continued)

Air transport (ICAO-IATA) [English only]

Proper shipping name: N,N-DIMETHYLFORMAMIDE

UN N°: 2265

IATA - Class or division: 3 : Flammable liquid.

IATA - Packing group: III

Section 15: Other Regulatory Information

Federal and State Regulations:

Illinois toxic substances disclosure to employee act: Dimethylformamide
Illinois chemical safety act: Dimethylformamide
New York release reporting list: Dimethylformamide
Rhode Island RTK hazardous substances: Dimethylformamide
Pennsylvania RTK: Dimethylformamide
Minnesota: Dimethylformamide
Massachusetts RTK: Dimethylformamide
Massachusetts spill list: Dimethylformamide
New Jersey: Dimethylformamide
New Jersey spill list: Dimethylformamide
Louisiana spill reporting: Dimethylformamide
California Director's List of Hazardous Substances: Dimethylformamide
TSCA 8(b) inventory: Dimethylformamide
TSCA 8(d) H and S data reporting: Dimethylformamide: 12/19/95 SARA 313 toxic chemical notification and release reporting: Dimethylformamide
CERCLA: Hazardous substances.: Dimethylformamide: 100 lbs. (45.36 kg)

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).
EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC): R20/21- Harmful by inhalation and in contact with skin.
R36- Irritating to eyes.
R61- May cause harm to the unborn child.
S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S53- Avoid exposure - obtain special instructions before use.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 2

Reactivity: 0

Personal Protection: h

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Section 15: Other Regulatory Information (Continued)

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 2

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16 - Additional Information

References: Not available.

Other Special Considerations: Not available.

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.