

Regd Office: Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990  
Email: sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
Web: www.oxfordlabchem.com

## **MATERIAL SAFETY DATA SHEET**

### **POTASSIUM BISULPHATE 99% AR MSDS CAS: 7646-93-7**

#### **Section 1: Chemical Product and Company Identification**

##### **Section 1: Chemical Product**

**Product Name:** POTASSIUM BISULPHATE AR

**CAS#:** 7646-93-7

**Synonym:** Acid Potassium Sulfate; Monopotassium sulfate; Potassium acid sulfate; Potassium sulfate; Salenixum; Sulfuric acid, monopotassium salt; Potassium bisulphate; Potassium Hydrogen Sulfate

**Chemical Name:** Potassium Bisulphate

**Chemical Formula:** KHSO<sub>2</sub>

**Brand:** OXFORD

##### **Details Of The Supplier Of The Safety Data Sheet :**

**Company identification:** OXFORD LAB FINE CHEM LLP  
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.  
Mumbai, Maharashtra, INDIA.  
Tel: 91-250-2390989  
Tel/Fax: 91-250-2390032

#### **Section 2: Composition and Information on Ingredients**

##### **Composition:**

Name	CAS #	% by Weight
Potassium Bisulphate AR	7646-93-7	100

**Toxicological Data on Ingredients:** Potassium bisulfate: ORAL (LD50): Acute: 2340 mg/kg [Rat].

## Section 3: Hazards Identification

**Potential Acute Health Effects:** Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation. The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastrointestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:** **CARCINOGENIC EFFECTS:** Not available. **MUTAGENIC EFFECTS:** Not available. **TERATOGENIC EFFECTS:** Not available. **DEVELOPMENTAL TOXICITY:** Not available. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.

## Section 4: First Aid Measures

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

**Serious Skin Contact:** Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

**Serious Inhalation:** Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## Section 5: Fire and Explosion Data

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not available.

**Flash Points:** Not available.

**Flammable Limits:** Not available.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** Not available.

**Explosion Hazards in Presence of Various Substances:** Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Not available.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Not available.

## Section 6: Accidental Release Measures

**Small Spill:** Use appropriate tools to put the spilled solid in a convenient waste disposal container.

**Large Spill:** Corrosive solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

## Section 7: Handling and Storage

**Precautions:** Keep container dry. Do not ingest. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, alkalis.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area. Hygroscopic

## Section 8: Exposure Controls/Personal Protection

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Personal Protection:** Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** Not available.

## Section 9: Physical and Chemical Properties

**Physical state and appearance:** Solid.

<b>Odor</b>	: Odorless.
<b>Taste</b>	: Not available.
<b>Molecular Weight</b>	: 136.17 g/mole
<b>Color</b>	: White.
<b>pH (1% soln/water)</b>	: Not available.
<b>Boiling Point</b>	: Not available.
<b>Melting Point</b>	: 197°C (386.6°F) Decomposition Temperature: 210 deg. C.
<b>Critical Temperature</b>	: Not available.
<b>Specific Gravity</b>	: 2.24 (Water = 1)
<b>Vapor Pressure</b>	: Not available.
<b>Vapor Density</b>	: Not available.
<b>Volatility</b>	: Not available.
<b>Odor Threshold</b>	: Not available.
<b>Water/Oil Dist. Coeff.</b>	: Not available.
<b>Ionicity (in Water)</b>	: Not available.
<b>Dispersion Properties</b>	: See solubility in water.
<b>Solubility</b>	: Soluble in cold water. Solubility in water: 56 g/100 g water

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, moisture/moist air

**Incompatibility with various substances:** Reactive with oxidizing agents, alkalis.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** Not available.

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** Will not occur.

## Section 11: Toxicological Information

**Routes of Entry:** Inhalation. Ingestion.

**Toxicity to Animals:** LD50: Not available. LC50: Not available.

**Chronic Effects on Humans:** Not available.

**Other Toxic Effects on Humans:** Very hazardous in case of skin contact (irritant), of ingestion. Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** Not available.

**Special Remarks on other Toxic Effects on Humans:** Acute Potential Health Effects: Skin: Corrosive. Causes severe skin irritation and burns, especially if the skin is wet or moist. Symptoms can include redness, pain, and severe tissue burns. Eyes: Corrosive. Contact causes severe irritation and burns. Symptoms can include blurred vision, redness pain and severe tissue burns. Inhalation: Corrosive. Inhalation produces damaging effects on the mucous membranes and upper respiratory tract. Symptoms can include soreness in nasal passages, irritation of the throat, coughing, sneezing, labored breathing. May cause delayed lung edema.

## Section 11: Toxicological Information (Continued)

**Ingestion:** Corrosive. Swallowing can cause sore throat, swelling of the throat, convulsions, severe burns of the mouth, throat, and stomach, vomiting, diarrhea.

## Section 12: Ecological Information

**Ecotoxicity:** Not available.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:**

The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## Section 13: Disposal Considerations

**Waste Disposal:**

Waste must be disposed of in accordance with federal, state and local environmental control regulations

## Section 14: Transport Information

**Land transport (ADR-RID)**

Proper shipping name: POTASSIUM HYDROGEN SULPHATE

UN N°: 2509

H.I. nr: 80

ADR - Class: 8

Labelling - Transport: 8 : Corrosive substance.

ADR - Group: II

**Sea transport (IMDG) [English only]**

Proper shipping name: POTASSIUM HYDROGEN SULPHATE

Regd Office: Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990  
Email: sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
Web: www.oxfordlabchem.com

## Section 14: Transport Information (Continued)

UN N<sup>o</sup>: 2509

IMO-IMDG - Class or division: 8 : Corrosive substance.

IMO-IMDG - Packing group: II

### Air transport (ICAO-IATA) [English only]

Proper shipping name: POTASSIUM HYDROGEN SULPHATE

UN N<sup>o</sup>: 2509

IATA - Class or division: 8 : Corrosive substance.

IATA - Packing group: II

## Section 15: Other Regulatory Information

Federal and State Regulations: Connecticut hazardous material survey.: Potassium bisulfate New Jersey: Potassium bisulfate TSCA 8(b) inventory: Potassium bisulfate

### Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

### Other Classifications:

WHMIS (Canada): CLASS E: Corrosive solid.

DSCL (EEC): R34- Causes burns. R37- Irritating to respiratory system. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 0

Personal Protection: j

### National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 0

Reactivity: 0

Specific hazard:

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

## Section 15: Other Regulatory Information (Continued)

**Protective Equipment:** Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## Section 16 - Additional Information

**References:** Not available.

**Other Special Considerations:** Not available.

### *Disclaimer:*

\*\*\*\*\*

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.