

## **TECHNICAL DATA SHEET**

### **Acetobacter Agar (Glucose)**

#### **Principle**

Acetobacter agar is consisting of yeast extract, calcium carbonate, dextrose and agar. Yeast extract in the medium provides nitrogen, vitamins and minerals necessary to support bacterial growth. Dextrose acts as energy source. Calcium carbonate acts as a buffering agent. Agar is solidifying agent.

**Use:** For maintenance of dextrose positive Acetobacter species

#### **Contents\***

<b>Ingredients</b>	<b>Gram/Litre</b>
<b>Yeast Extract</b>	<b>10.00</b>
<b>Calcium Carbonate</b>	<b>10.00</b>
<b>Dextrose</b>	<b>3.00</b>
<b>Agar</b>	<b>15.00</b>
<b>pH at 25°C</b>	<b>7.4 ±0.2</b>

\* Formula adjusted for optimum performance and parameters

**Directions:** Dissolve 38.00 grams in 1000 ml distilled water, boil to dissolve the medium completely. Sterilize by autoclaving at 15 lbs. pressure (121°C) for 15 min, cool it to 42-45 °C and distribute aseptically in petri plates. Ensure complete solidification and inoculate test sample aseptically.

#### **Specimens types analyzed**

Fruits, food and food products samples, pure cultures etc.

#### **Precautions to be taken**

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

## Quality Control

<b>Appearance</b>	<b>Off white to beige colored free flowing, homogeneous powder</b>
<b>Reaction of 3.8% solution</b>	<b>7.4 ±0.2 at 25 °C</b>
<b>pH</b>	<b>7.20- 7.60</b>
<b>Gelling</b>	<b>Firm comparable with 1.5% agar gel</b>
<b>Color and clarity of ready medium</b>	<b>Off white to cream colored opalescent gel</b>
<b>Growth Promotion properties</b>	<b>Best at ≤ 100 CFU at 32-37 °C for 18-72 h</b>
<b>Indicative properties</b>	<b>Optimum at ≤ 100 CFU at 32-37 °C for 18-48 h</b>
<b>Negative control</b>	<b>Performed using sterile distilled water</b>

## Different Microbial Response

<b>Organism</b>	<b>Inoculum</b>	<b>Growth</b>	<b>Recovery</b>	<b>Incubation Temperature</b>	<b>Incubation period</b>
<i>Acetobacter acetic</i> (ATCC 15973)	50-100	Luxurious	≥80%	33-37 °C	18-48 h
<i>Acetobacter liquifaciens</i> (ATCC 14835)	50-100	Luxurious	≥80%	33-37 °C	18-48 h

**Storage and Shelf Life:** The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label. **Note:** Sterilize media immediately after reconstitution.

**Disposal:** To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

*This document has been produced electronically and it is valid without signature.*

[www.oxfordlabchem.com](http://www.oxfordlabchem.com)

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Reference

1. Atlas, R. M. (2005). *Handbook of media for environmental microbiology*. CRC press.
2. Rand, M. C., Arnold E. Greenberg, and Michael J. Taras, (1976), *Standard methods for the examination of water and wastewater*. Prepared and published jointly by American Public Health Association, American Water Works Association, and Water Pollution Control Federation.
3. *Manual of Microbiological Methods*, (1957), Society of American Bacteriologists, McGraw-Hill Book Company, New York.

## ***Disclaimer:***

\*\*\*\*\*

**The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.**

**Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.**

*This document has been produced electronically and it is valid without signature.*

[www.oxfordlabchem.com](http://www.oxfordlabchem.com)