

## TECHNICAL DATA SHEET

### Azotobacter Broth (Glucose)

#### Principle

Azotobacter glucose agar consists of Magnesium sulphate, potassium hydrogen phosphate, Dipotassium hydrogen phosphate, calcium chloride, sodium molybdate, ferric chloride, glucose and agar. Glucose is carbon source. Magnesium sulphate, calcium chloride, sodium molybdate and ferric chloride provides essential ions and source of trace elements required for the metabolic activities of microorganisms. Potassium phosphates act as buffering agent. Agar is solidifying agent.

**Use:** For isolation and cultivation of Glucose positive Azotobacter species from soil.

#### Contents\*

Ingredients	Gram/Litre
Dipotassium Hydrogen Phosphate	0.100
Potassium Hydrogen Phosphate	0.150
Magnesium Sulphate	0.200
Calcium Chloride	0.020
Sodium Ammonium Molybdate	0.002
Ferric Chloride	0.00009
Dextrose (Glucose)	10.000
Agar	15.000
pH at 25°C	7.6 ± 0.2

\* Formula adjusted for optimum performance and parameters

**Directions:** Dissolve 25.40 grams in 1000 ml distilled water, boil to dissolve the medium completely. Sterilize by autoclaving at 15 lbs. pressure (121 °C) for 15 min, cool it to 42-45 °C and distribute aseptically in sterile petri plates, allow to solidify. Ensure complete solidification and inoculate test sample aseptically.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

## Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

## Quality Control

Appearance	Light beige colored free flowing, homogeneous powder
Reaction of 2.54% solution	7.6 ±0.2 at 25 °C
pH	7.40- 7.80
Gelling	Firm comparable with 1.5% agar gel
Color and clarity of ready medium	Clear slightly, opalescent gel
Growth Promotion properties	Best at ≤ 100 CFU at 24-30°C for 18-72 h
Indicative properties	Optimum at ≤ 100 CFU at 24-30°C for 18-48 h
Negative control	Performed using sterile distilled water

**Different Microbial Response:** Cultural characteristics observed after incubation at 25-30°C for 24-48 hours.

Organism	ATCC	Inoculum (CFU)	Growth	Recovery
<i>Azotobacter beijerinckii</i>	12981	50-100	Luxuriant	≥ 60%

**Storage and Shelf Life:** The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label. Note: Sterilize media immediately after reconstitution.

*This document has been produced electronically and it is valid without signature.*

[www.oxfordlabchem.com](http://www.oxfordlabchem.com)

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



**Disposal:** To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

## Reference

1. Atlas, R. M. (2005). Handbook of media for environmental microbiology. CRC press.

## *Disclaimer:*

\*\*\*\*\*

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.